Substitute for form 1449A/PTO			Complete if Known				
				Application No.	09/899,422		
	INFORMATION D	ISCLOSUE	₹F	Filing Date:	7-3-01		
	STATEMENT BY			First Named Inventor	Hauptmann et al.,		
			1 1	Group Art Unit	1646		
	O (use as many sheets	as necessary)		Examiner Name	Eilean O'Hava		
Shoot	<u>/</u> / %	of	 a	Attorney Docket No.	98 385-H		

·	(E)	The state of the s		U.S. PATENT DOCUME	NTS	
Examin er Initials*	Cite No. ¹	Number (if known)		Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Passages or Figures Appear	
EA	1	4,289,690		Pestka et al.	Sept. 15, 1981	
1	2	4,560,649		Saxena et al.	Dec. 24, 1985	
	3	4,578,335		Urdal et al.	Mar. 25, 1986	
7	4	4,609,546		Hiratani	Sept. 2, 1986	
. [5	4,789,658		Yoshimoto et al.	Dec. 6, 1988	-
	6	4,902,502		Nitecki et al.	Feb. 20, 1990	
$\overline{}$	7	4,904,584		Shaw	Feb. 27, 1990	
	8	4,931,544		Katre et al.	Jun. 5, 1990	
	9	4,935,233		Bell et al.	Jun. 19, 1990	
	10	4,966,888		Saxena et al.	Oct. 30, 1990	
	11	5,089,261		Nitecki et al.	Feb. 18, 1992	
	12	5,116,964		Capon et al.	May 26, 1992	
	13	5,136,021		Dembinski et al.	Aug. 4, 1992	
	14	5,153,265		Shadle et al.	Oct. 6, 1992	
	15	5,162,430		Rhee et al.	5,162,430	
	16	5,214,131		Sano et al.	May 25, 1993	
	17	5,252,714		Harris et al.	Oct. 12, 1993	
	18	5,344,915		LeMaire et al.	Sep. 6, 1994	
	19	5,359,037		Wallach et al.	Oct. 25, 1994	
	20	5,382,657		Karasiewicz et al.	Jan. 17, 1995	
	21	5,395,760		Smith et al.	Mar. 7, 1995	
	22	5,478,925		Wallach et al.	Dec. 26, 1995	
	23	5,512,544		Wallach et al.	Apr. 30, 1996	
	. 24	5,605,690		Jacobs et al.	Feb. 25, 1997	
W	25	5,610,279		Brockhaus et al.	Mar. 11, 1997	

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English translation is attached.

Substitute for form 1449A/PTO	Complete if Known		
	Application No.	09/899,422	
INFORMATION DISCLOSURE	Filing Date:	7-3-01	
STATEMENT BY APPLICANT	First Named Inventor	Hauptmann et al.,	
	Group Art Unit	1646	
(use as many sheets as necessary)	Examiner Name	Eilan O'llara	
Sheet of 9	Attorney Docket No.	98,385-H	

1	E.			U.S. PATENT DOCUME	ENTS	
Examiner Initials*	Cite No.	DEMANUS. Patent Number	Document Kind Code ² (if known)	Name of Patentee or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Figures Appear
EA	26	5,633,145		Feldmann et al.	May 27, 1997	
	27	5,695,953		Wallach et al.	Dec. 9, 1997	
	28	5,712,155	:	Smith et al.	Jan. 27, 1998	-
	29	5,808,029		Brockhaus et a.	Sep. 15, 1998	
	30	5,811,261		Wallach et al.	Sep. 22, 1998	
	31	5,843,791		Hauptmann et al.	Dec. 1, 1998	
A	32	5,863,786		Feldmann et al.	Jan. 26, 1999	

	Т			<u>REIGN PATENT DOCUME</u> 		· · · · · · · · · · · · · · · · · · ·	Т
Examiner Initials*	Cite	Foreign Patent Document		Name of Patentee or	Date of Publication of	Pages, Columns, Lines	
miliais	No. 1	Number ⁴	Kind Code ⁵ (if known)	Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Figures Appear	T ⁶
EM	33	DE03910323A1					
	34	DE03913101.7					2220
9A	35	DE0920282.8					
	36	EP0154316A2					
	37	EP0154316B1					П
	38	EP0162699					П
	39	EP0225579A3					
	40	EP0247860A2					
	41	EP0259863A2			·		
	42	EP0308378					
	43	EP0334165A2					
V	44	EP0393438A2					

¹ Unique citation designation number. ² See attached Kinds of U.S. Patent Documents. ³ Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English translation is attached.

· · · ·			Complete if Known		
			Application No.	09/899,422	
010			Filing Date:	7-3-01	
()			First Named Inventor	Hauptmann et al.,	
(SUL 2 7 2001 S)			Group Art Unit	1646	
E S			Examiner Name	Eilen O'Hara	
Sheet PADEMARY	of	9	Attorney Docket No.	98,385-H	

				FOF	REIGN PATENT DOCUME	NTS		
Examiner	Cite				Name of Patentee or	Date of Publication of	Pages, Columns, Lines	
Initials*	No .		Number ⁴	Kind Code ⁵ (if known)	Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Figures Appear	T ₆
EA	45		EP0398327A1					
	46		EP0412486					
	47		EP0417563A2					
	48		EP0418014A1					
	49		EP0422339				"	
	50		EP0433900					
	51		EP0512528A2					
	52		EP0526905A2					
	53		GB2218101					
	54		GB2246569A					
	55		WO90/13575					
	56		WO91/03553					
	57		WO92/01002					
	58		WO92/07076					
	59		WO92/13095					
	60	y	WO92/15682					
	61		WO92/16221					
	62		WO92/01474					
V	63		WO94/06476					

Elia S.O. Hara 8/21/03

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.

Substitute	for form 1449A/PTO)		Complete if Known			
				Application No.	09/899,422		
	INFORMATION DISC	cLos	URE	Filing Date:	7-3-01		
	STATEMENT BY AP			First Named Inventor	Hauptmann et al.,		
	OTATEMENT BY AT	LIC	ZANI	Group Art Unit	1646		
	(use as many sheets as n	ecessa	ry)	Examiner Name	Eilean O'Hara		
Sheet	4	of	g	Attorney Docket No.	98 385-H		

IPX	\		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).
2/20m	JE41		Anderson et al., "Quantitative Filter Hybridisation," <i>Nucleic Acid Hybridization: A Practical Approach</i> pp. 73-111 (Hawes et al., eds., 1985).
ARK OF	65		Aggarwal et al., "Characterization of receptors for human tumour necrosis factor and their regulation by gamma-interferon," <i>Nature</i> 318:665-67 (1985).
1	66		Baglioni et al., "Binding of human tumor necrosis factor to high affinity receptors on HeLa and lymphoblastoid cells sensitive to growth inhibition," <i>J. Biol. Chem.</i> 260:13395-97 (1985).
	67		Bakouche et al., "Plasma membrane-associated tumor necrosis factor. A non-integral membrane protein possibly bound to its own receptor," <i>J. Immunol.</i> 140:1142-47 (1988).
	68	٠.,	Beutler et al., "The Biology of Cachectin/TNF-A Primary Mediator of the Host Response", Ann. Rev. Immunol. 1989, 7:625-55
	69	`	Binkert et al., "Cloning, sequence analysis and expression of a cDNA encoding a novel insulin-like growth factor binding protein (IGFBP-2)," <i>EMBO J.</i> 8:2497-502 (1989).
	70	`	Bowie et al., "Deciphering the message in protein sequences: tolerance to amino acid substitutions," <i>Science</i> 247:1306-10 (1990).
	71	,	Brennan et al., "Inhibitory effect of TNF alpha antibodies on synovial cell interleukin-1 production in rheumatoid arthritis," <i>Lancet</i> 2:244-47 (1989).
	72	j	Brockhaus, M. et al., Proc. Natl. Acad. Sci. USA 87:3127-3131 (1990)
	73	\	Capaldi et al., "Changes in order of migration of polypeptides in complex III and cytochrome C oxidase under different conditions of SDS polyacrylamide gel electrophoresis," <i>Biochem. Biophys. Res. Commun.</i> 74:425-33 (1977).
	74	`	Colletti et al., "The production of tumor necrosis factor alpha and the development of a pulmonary capillary injury following hepatic ischemia/reperfusion," <i>Transplantation</i> 49:268-72 (1990).
	75	,	Creasy, A. et al., Proc. Natl. Acad. Sci. USA 84:3293-3297 (1987)
	76		Dayer et al., "Purification and Characterization of Human Tumor Necrosis Factor a Inhibitor," <i>Chemical Abstracts</i> 113(38760n):454 (1990).
	77	`	Dembic et al., "Two human TNF receptors have similar extracellular, but distinct intracellular, domain sequences," Cytokine 2:231-37 (1990).
	78		Engelmann et al., "Two Tumor Necrosis Factor-binding Proteins Purified from Human Urine," The Journal of Biological Chemistry, Vol. 265.No.3 Issue of January 25, pp.1531-1536, 1990.
	79	`	Engelmann et al., "Antibodies to a soluble form of a tumor necrosis factor (TNF) receptor have TNF-like activity," <i>J. Biol. Chem.</i> 265:14497-504 (1990).
V	80	`	Espevik et al., "Characterization of binding and biological effects of monoclonal antibodies against a human tumo necrosis factor receptor," <i>J. Exp. Med.</i> 171:415-26 (1990).

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

1 Unique citation designation number. 2 Applicant is to place a check mark here if English translation is attached.

Substitute t	or form 1449A/PTO	4		Comple	ete if Known
				Application No.	09/899,422
	INFORMATION DI	scios	HRF	Filing Date:	7-3-01
	STATEMENT BY A			First Named Inventor	Hauptmann et al.,
	OIAILMILMI DI A	AI I LIO	ANI	Group Art Unit	1646
	(use as many sheets a	s necessa	ry)	Examiner Name	Eileen O'Hara
Sheet	5	of	9	Attorney Docket No	98 385-H

OIP		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).
JUEN 2001 2	81,	Evans, "The steroid and thyroid hormone receptor superfamily," Science 240:889-95 (1988).
	82 、	Frohman et al., "Rapid production of full-length cDNAs from rare transcripts: amplification using a single gene-specific oligonucleotide primer," <i>Proc. Natl. Acad. Sci. U. S. A.</i> 85:8998-9002 (1988).
# TRADEMARK OTT	83	Gatanaga et al., "Purification and characterization of an inhibitor (soluble tumor necrosis factor receptor) for tumor necrosis factor and lymphotoxin, Proc. Natl. Acad. Sci. USA 87:8781-8784 (1990).
	84	Goodson et al., "Site-Directed Pegylation of Recombinant Interleukin-2 At Its Glycosylation Site," BioTechnology 8:343-346 (1990).
	85,	Goodwin et al., "Molecular cloning and expression of the type 1 and type 2 murine receptors for tumor necrosis factor," <i>Mol. Cell. Biol.</i> 11:3020-26 (1991).
	86	Gray et al., "Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein," <i>Proc. Natl. Acad. Sci. U. S. A.</i> 87:7380-84 (1990).
	87	Grizzard et al., "Affinity-labeled somatomedin-C receptors and binding proteins from the human fetus," <i>J. Clin. Endocrinol. Metab.</i> 58:535-43 (1984).
	88	Hale et al., "Cytokines and Their Receptors: From Clonal to Clinical Investigation, Demonstration of In Vitro and In Vivo Efficacy of Two Biologically Active Human Soluble TNF Receptors Expressed in E. Coli," J. Cell Biochem. Suppl. 15F:113(1991)
	89.	Hass et al., "Characterization of specific high affinity receptors for human tumor necrosis factor on mouse fibroblasts," <i>J. Biol. Chem.</i> 260:12214-18 (1985).
	90	Hatakeyama et al., "Interleukin-2 receptor beta chain gene: generation of three receptor forms by cloned human alpha and beta chain cDNA's," <i>Science</i> 244:551-56 (1989).
	91,	Hauser et al., "Cytokine accumulations in CSF of multiple sclerosis patients: frequent detection of interleukin-1 and tumor necrosis factor but not interleukin-6," <i>Neurology</i> 40:1735-39 (1990).
	92	Heller et al., "Complimentary DNA cloning of a receptor for tumor necrosis factor and demonstration of a shed form of the receptor," Proc. Natl. Acad. Sci. USA Vol. 87, pp. 6151-6155, August 1990.
SA	93 '	Himmler et al., "Molecular cloning and expression of human and rat tumor necrosis factor receptor chain (p60) and its soluble derivative, tumor necrosis factor-binding protein," DNA Cell Biol. 9:705-15 (1990).
	94	Hofman et al., "Tumor necrosis factor identified in multiple sclerosis brain," <i>J. Exp. Med.</i> 170:607-12 (1989).
	955	Hohmann, H.P. et al., J. Biol. Chem. 264:14927-14934
$ \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} \hspace{.1cm} $	96~	Israel et al. "Binding of Human TNF-alpha to High-Affinity Cell Surface Receptors: Effect of IFN," Immunol. Lett. 12:217-224(1986).

Cile B. O'Nma

8/20/03

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.

Substitute f	for form 1449A/PTO			Complete if Known			
				Application No.	09/899,422		
	INFORMATION DISC	a os	URF	Filing Date:	7-3-01		
	STATEMENT BY AP			First Named Inventor	Hauptmann et al.,		
	STATEWILKT BY AP	FLIC	ANI	Group Art Unit	1646		
	(use as many sheets as n	ecessa	ry)	Examiner Name	Eleen Oltara		
Sheet	6	of	9	Attorney Docket No.	98,385-H		

97 Kasukabe et al., "Purification of a novel growth inhibitory factor for partially differentiated myeloid leukemic cells," *J. Biol. Chem.* 263:5431-35 (1988).

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).

relationship to sensitivity," Proc. Natl. Acad. Sci. U. S. A. 82:5756-60 (1985).

Kohno et al., "A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor," Proc. Natl. Acad. Sci. USA 87:8331-8335 (1990).
 Kull et al., "Cellular receptor for 125I-labeled tumor necrosis factor: specific binding, affinity labeling, and

Lantz et al., "Characterization in vitro of a human tumor necrosis factor-binding protein. A soluble form of a tumor necrosis factor receptor," *J. Clin. Invest.* 86:1396-42 (1990).

Le et al., "Tumor necrosis factor and interleukin 1: cytokines with multiple overlapping biological activities," *Lab. Invest.* 56:234-48 (1987).

Lee et al., "Generation of cDNA probes directed by amino acid sequence: cloning of urate oxidase," Science 239:1288-91 (1988).

Lehmann and Droge, "Demonstration of membrane receptors for human natural and recombinant 125l-labeled tumor necrosis factor on HeLa cell clones and their role in tumor cell sensitivity," *Eur. J. Biochem.* 158:1-5 (1986).

Leung et al., "Growth hormone receptor and serum binding protein: purification, cloning and expression,"

Nature 330:537-43 (1987).

Liao et al., "Identification of a specific interleukin 1 inhibitor in the urine of febrile patients," J. Exp. Med. 159:126-36 (1984).

106 Liao et al., "Charaterization of a Human Interleukin 1 Inhibitor," J. Immunol. 134(6):3882-3886 (1995).

Liblau et al., "Tumor Necrosis Factor-a and Disease Progreesion in Multiple Sclerosis," New Engl. J. Med. 326(4):272-273 (1992)

Lindvall et al., "Modulation of the constitutive gene expression of the 55 kD tumor necrosis factor receptor in hematopoietic cells," *Biochem. Biophys. Res. Commun.* 172:557-63 (1990).

Loetscher et al., "Molecular Cloning and Expression of the Human 55 kd Tumor Necrosis Factor Receptor." Cell, Vol. 61 351-359 April 20, 1990

March et al., "Cloning, sequence and expression of two distinct human interleukin-1 complementary DNAs," *Nature* 315:641-47 (1985).

Neda, Hiroshi, "Analysis of the Tumor Necrosis Factor (TNF) Receptor of Various Tumor Cells," *Tumor Necrosis Factor, (TNF) Receptor* 56(2):305-17 (1987).

Cica B. O. Nama 8/26/03

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.

Substitute for	Substitute for form 1449A/PTO			Complete if Known		
l:				Application No.	09/899,422	
	INFORMATION D	ISCLOS	SURF	Filing Date:	7-3-01	
	STATEMENT BY			First Named Inventor	Hauptmann et al.,	
	OTATEMENT DI	AI I LIC	ZANI	Group Art Unit	16.46	
	(use as many sheets	as necessa	ıry)	Examiner Name	Eileen O'Hara	
Sheet	7	_ of	9	Attorney Docket No.	98,385-H	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.).

OIPA		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).
JUL 27 2007	112	Nexl et al., "Lectin-agarose immobilization, a new method for detecting soluble membrane receptors. Application to studies with epidermal growth factor-urogastrone and transcobalamin-II," <i>J. Biol. Chem.</i> 254:8740-43 (1979).
F/RAD MARK SE	113	Nophar et al., "Soluble forms of tumor necrosis factor receptors (TNF-Rs). The cDNA of the type I TNF-R, cloned using amino acid sequence data of its soluble form, encodes both the cell surface and a soluble form of the receptor," The EMBO J. 9(10):3269-3278 (1990).
	114	Novick et al., "Soluble cytokine receptors are present in normal human urine," <i>J. Exp. Med.</i> 170:1409-14 (1989).
	115	Novick et al., "Purification of soluble cytokine receptors from normal human urine by ligand-affinity and immunoaffinity chromatography," <i>J. Chromatogr.</i> 510:331-37 (1990).
	116	Olsson et al., "Isolation and characterization of a tumor necrosis factor binding protein from urine," Eur. J. Haematol. 42:270-75 (1989).
	117	Peetre, C. et al., Eur. J. Haematol 41:414-419 (1988)
	118	Peppel et al., "A Tumor Necrosis-Eactor (TNE) Receptor-IgG Heavy Chain Chimeric Protein as a Bivalent Antagonist of TNF Activity," J. Exp. Med. 174:1483-1489 (1991).
801A	119	Piguet et al., "Tumor necrosis factor/cachectin plays a key role in bleomycin-induced pneumopathy and fibrosis," <i>J. Exp. Med.</i> 170:655-63 (1989).
	420	Rowell et al., The Role of Lymphotoxin and TNF in Demyelinating Diseases of the CNS," Tumor Necrosis Factors: The Molecules and Their Emerging Role in Medicine. Pgs 355-369
	121	Bhein et al.: "Another Sepsis Drug Down≕Immunex TNE Receptor: "Biotechnology Newswatch, pg: 1,3" (Monday, October 4, 1993).
Ans	122	Ruddle et al., "An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of Experimental Allergic Encephalomyelitis," J. Exp. Med. 172:1193-1200 (1990).
	123	Schall, T. J. et al., Cell 61:361-370 (1990)
	124 <	Scheurich et al., "Quantification and characterization of high-affinity membrane receptors for tumor necrosis factor on human leukemic cell lines," <i>Int. J. Cancer</i> 38:127-33 (1986).
	125 \	Seckinger et al., "Characterization of a tumor necrosis factor alpha (TNF-alpha) inhibitor: evidence of immunological cross-reactivity with the TNF receptor," <i>Proc. Natl. Acad. Sci. U. S. A.</i> 87:5188-92 (1990).
	126 -	Seckinger et al., "Purification and biologic characterization of a specific tumor necrosis factor alpha inhibitor," <i>J. Biol. Chem.</i> 264:11966-73 (1989).

Elia B. O Have

8/26/03

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.

Substitute t	for form 1449A/PTO	2		Complete if Known		
				Application No.	09/899,422	
	INFORMATION D	ISCLOSII	RF	Filing Date:	7-3-01	
	STATEMENT BY			First Named Inventor	Hauptmann et al.,	
	SIAILMLNIDI	AFFLICA	IV I	Group Art Unit	1646	
	(use as many sheets	as necessary)		Examiner Name	E. Teen O'Wara	
Sheet	8	of	9	Attorney Docket No.	98,385-H	

OIPE	\	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).
	127	Seckinger et al., "A Human Inhibitor of Tumor Necrosis Factor Alpha," J. Exp. Med. 167:1511-1516.
6	ياً 128	Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity Affects Both Interleuking 1 and B But Not Tumor Necrosis Factor a," J. Immunol. 139(5):1541-1545(1987).
RADEMARA	129	Seckinger et al., "A Urine Inhibitor of Interleukin 1 Activity Affects Both Interleuking 1 and B But Not Tumor Necrosis Factor a," J. Immunol. 139(5):1446-1549(1987)
	130 >	Selmaj et al., "Prevention of Chr-eae with Soluble TNF Receptor P55," J. Neurom.
	131	Selmaj and Raine, "Anti-Tumor Necrosis Factor Therapy Abrogates Autoimmune Demyelination, Annals of Neurology Vol 30 No 5 November 1991.
\ \	132 🦡	Shimuzu et al., PNAS USA, 80:2112-2116 (1983).
V	133	Smith et al., "A Receptor for Tumor Necrosis Factor Defines an Unusual Family Cellular and Viral Proteins, Reports, 1019-1023.
	134	Smith et al., Science 248:1019-1023(1990)
EA	135	Socher et al., "Antibodies against amino acids 1-15 of tumor necrosis factor block its binding to cell-surface receptor," <i>Proc. Natl. Acad. Sci. U. S. A.</i> 84:8829-33 (1987).
	136	Spinas et al., "Induction of plasma inhibitors of interleukin 1 and TNF-alpha activity by endotoxin administration to normal humans," <i>Am. J. Physiol.</i> 259(5 Pt 2):R993-7 (1990).
	137	Stauber and Aggarwal, "Characterization and affinity cross-linking of receptors for human recombinant lymphotoxin (tumor necrosis factor-beta) on a human histiocytic lymphoma cell line, U-937," <i>J. Biol. Chem.</i> 264:3573-76 (1989).
	138 👡	Stauber. G. et al., J. Biol. Chem. 263(35):19098-19104.
	139	Suffys et al., "Involvement of a serine protease in tumour-necrosis-factor-mediated cytotoxicity," <i>Eur. J. Biochem.</i> 178:257-65 (1988).
	140 、	Suggs et al., "Use of synthetic oligonucleotides as hybridization probes: isolation of cloned cDNA sequences for human beta 2-microglobulin," <i>Proc. Natl. Acad. Sci. U. S. A.</i> 78:6613-17 (1981).
	141 -	The Cytokine Factsbook pp. 244-46 (Callard, ed., Academic Press, 1994).
	142	Tracey et al., "Cachectin/tumor necrosis factor induces cachexia, anemia, and inflammation," <i>J. Exp. Med.</i> 167:1211-27 (1988).
	143	Tracey et al., "Metabolic effects of cachectin/tumor necrosis factor are modified by site of production. Cachectin/tumor necrosis factor-secreting tumor in skeletal muscle induces chronic cachexia, while implantation in brain induces predominantly acute anorexia," <i>J. Clin. Invest.</i> 86:2014-24 (1990).

Eden B. O Han 8/26/03

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.

Substitute	Substitute for form 1449A/PTO			Complete if Known		
		•		Application No.	09/899,422	
	INFORMATION DISC	:1.05	RURF	Filing Date:	7-3-01	
	STATEMENT BY AP			First Named Inventor	Hauptmann et al.,	
	STATEMENT BY AF	LIC		Group Art Unit	1646	
	(use as many sheets as n	ecessa	ıry)	Examiner Name	Eileen O'Hara	
Sheet	9	of	9	Attorney Docket No.	98,385-H	

OIPE	_	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc).
JUL 2742011	2)44,	Tracey et al., "Physiological responses to cachectin," <i>Tumor Necrosis Factor and Related Cytotoxins</i> pp. 88-108 (Ciba Foundation Symposium 131, Wiley, Chichester, 1987).
	145	Tracey et al., "Anti-Cachectin/TNF Monoclonal Antibodies Prevent Septic Shock During Lethal Bacteraemia," Nature 330:662-664(1987).
	146	Tsujimeto et al., "Physiological responses to eachectin, "Tumor necrosis factor and related cytotoxins. Wiley, Chichester (Ciba Foundation Symposium 131), pp. 88-108 (1987).
ant	147	Unglaub et al., "Downregulation of tumor necrosis factor (TNF) sensitivity via modulation of TNF binding capacity by protein kinase C activators," <i>J. Exp. Med.</i> 166:1788-97 (1987).
	-148	Vilcek et al., "Tumor necrosis factor: receptor binding and mitogenic action in fibroblasts," J. Cell. Physiol. 5:57-61 (1987).
GA	149	Vitt et al., "Biological and Structural Characterization of the Tumor Necrosis Factor Receptor on Multiple Cell Types: Relationship to Function," Fed. Proc. 78th Annual Meeting of the American Society of Biological Chemists 46(6):2117 (1987).
	150	Wallach et al., "Mechanisms which take part in regulation of the response to tumor necrosis factor," Lymphokine Res. 8:359-63 (1989).
	151 🗸	Wallach, "Cell Surface and Soluble TNF Receptors, Tumor Necrosis Factor, 1992, pp 47 - 57.
	152 、	Wallach et al., "Regulation of the Response to Tumor Necrosis Factor," pp. 134-47 (Bonavida et al., eds., Tumor Necrosis Factor/Cachectin and Related Cytokines Int. Conf. Tumor Necrosis Factor and Related Cytotoxins, Heidelberg, 1987).
	153	Walsh et al., "Isolation and purification of ILS, an interleukin 1 inhibitor produced by human gingival epithelial cells," Clin. Exp. Immunol. 68:366-74 (1987).
	154	Weber et al., "Production of an epidermal growth factor receptor-related protein," Science 224:294-97 (1984).
	155	Yoshie et al., "Binding and Crosslinking of ¹²⁵ I-Labeled Recombinant Human Tumor Necrosis Factor to Cell Surface Receptors," J. Biochem. 100:531-541 (1986).
V	156	Ziegler, "Tumor necrosis factor in humans," N. Engl. J. Med. 318:1533-35 (1988).

Edear D. OHana

8/26/03

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. ² Applicant is to place a check mark here if English translation is attached.